



CE

CERTIFICATE

of constancy of performance

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), **this certificate applies to the essential characteristic of reaction to fire** for the construction product

Rockfon Blanka

Productcode : 8.143.07 PL

Suspended ceiling membrane (mineral wool)

Thickness : 20, 20-22, 25, 40 mm

Reaction to fire Euroclass : A1

placed on the market under the name or trade mark of

Rockfon, Rockwool International A/S
Hovedgaden 584, DK - 2640 Hedehusene

and produced in the manufacturing plant

Rockwool Polska sp. z o.o
Ul. Kwiatowa 14, PL - 66-131 Cigacice

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard


EN 13964 : 2014

under system 1 related to the essential characteristic of reaction to fire are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

This certificate was first issued on 26/05/2015 and will remain valid until 21/03/2026 as long as neither the harmonised standard, the construction product, the AVCP methods, nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

N° certificate 0749-CPR-BC1-533-1817-0140-04 | Valid from 22/03/2021 until 21/03/2026

Issued in Brussels, on 22 March 2021.


ir. B. De Blaere,
President of the General management
Committee for certification and
approval

The validity of this certificate can be checked on the website www.bcca.be.

BELGIAN CONSTRUCTION CERTIFICATION ASSOCIATION NPO
FOUNDERS: BBRI AND SECO
RUE D'ARLON 53, B - 1040 BRUSSELS
TEL. + 32 2 238 24 11
MAIL@BCCA.BE | WWW.BCCA.BE


0749


021 PROD